

## Copepod Conundrum – Guided Notes #2

By Sara Pursel and Samantha Zeman

Examine the Stop Light Table below and answer the following questions.

	Year																				
	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
<b>Ecosystem Indicators</b>																					
PDO (Sum Dec-March)	18	6	3	13	7	20	12	16	14	9	5	1	15	4	2	8	10	21	19	17	11
PDO (Sum May-Sept)	10	4	6	5	11	17	16	18	12	14	2	9	7	3	1	8	19	21	20	15	13
ONI (Average Jan-June)	20	1	1	7	14	16	15	17	9	12	3	11	18	4	6	8	10	19	21	13	5
4650 SST (°C, May-Sept)	16	9	3	4	1	8	21	15	5	17	2	10	7	11	12	13	14	20	18	6	19
Upper 20 m T (°C, Nov-May)	20	11	8	10	6	15	16	12	13	5	1	9	17	4	3	7	2	21	19	18	14
Upper 20 m T (°C, May-Sept)	17	12	14	4	1	3	21	19	7	8	2	5	13	10	6	18	20	9	15	11	16
Deep temperature (°C, May-Sept)	21	6	8	4	1	10	12	16	11	5	2	7	14	9	3	15	20	18	13	17	19
Deep salinity (May-Sept)	19	3	9	4	5	16	17	10	6	1	2	14	18	13	12	11	20	15	8	7	6
Copepod richness anom. (no. species, May-Sept)	19	2	1	7	6	14	13	18	15	10	8	9	17	4	5	3	11	20	21	16	12
N. copepod biomass anom. (mg C m <sup>-3</sup> , May-Sept)	19	14	10	11	3	16	13	20	15	12	6	9	8	1	2	4	5	17	21	18	7
S. copepod biomass anom. (mg C m <sup>-3</sup> , May-Sept)	21	2	5	4	3	14	15	20	13	10	1	7	16	9	8	6	11	18	19	17	12
Biological transition (day of year)	18	8	5	7	9	14	13	19	12	2	1	3	16	6	10	4	11	21	21	17	15
Ichthyoplankton biomass (mg C 1,000 m <sup>-3</sup> , Jan-Mar)	21	12	3	8	10	19	18	15	17	16	2	13	5	14	11	9	20	6	7	1	4
Ichthyoplankton community index (PCO axis 1 scores, Jan-Mar)	10	13	2	7	5	11	20	18	3	12	1	14	15	8	4	6	9	19	21	17	16
Chinook salmon juvenile catches (no. km <sup>-2</sup> , June)	19	4	5	16	8	12	17	20	11	9	1	6	7	15	3	2	10	13	18	21	14
Coho salmon juvenile catches (no. km <sup>-2</sup> , June)	19	8	13	6	7	3	16	20	17	5	4	10	11	15	18	1	12	9	14	21	2
Mean of ranks	17.9	7.2	6.0	7.3	6.1	13.0	15.9	17.1	11.3	9.2	2.7	8.6	12.8	8.1	6.6	7.7	12.8	16.7	17.2	14.5	11.6
Rank of the mean rank	21	5	2	6	3	15	17	19	11	10	1	9	13	8	4	7	13	18	20	16	12
<b>Ecosystem Indicators not included in the mean of ranks or statistical analyses</b>																					
Physical Spring Trans. U based (day of year)	3	7	20	17	4	13	15	21	13	1	6	2	8	11	18	9	19	10	5	16	11
Physical Spring Trans. Hydrographic (day of year)	20	3	13	8	5	12	14	21	6	9	1	9	18	3	11	2	16	7	17	18	14
Upwelling Anomaly (April-May)	10	3	17	6	9	14	13	21	10	4	7	8	15	17	15	12	19	1	2	20	5
Length of Upwelling Season U based (days)	6	2	19	12	1	14	10	21	5	3	9	3	16	18	16	15	20	11	8	13	7
SST NH-5 (°C, May-Sept)	9	6	5	4	1	3	21	16	10	18	2	19	11	7	14	13	15	12	17	8	20
Copepod Community Index (MDS axis 1 scores)	20	3	4	8	1	13	15	18	15	10	2	6	12	9	7	5	11	19	21	17	14
Coho Juv Catches (no. fish km <sup>-2</sup> , Sept)	11	2	1	4	3	6	12	14	8	9	7	15	15	5	10	NA	NA	NA	NA	NA	NA

1. Why is this called a Stop Light Table?
2. What patterns or trends do you see in the data?

Please go to [this link](#) to help answer the next questions.

3. What do the colors in the table represent?
4. What do the numbers in the squares indicate?
5. Which types of copepod data appear to be “good” indicators for salmon growth and survival, and why?
6. How do the dataset your team graphed compare to the data presented in the Stop Light Table? Is there any overlap?